

#### **OFFICIAL QUOTE**

## 3KVA 380 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER





# 3KVA 380 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER

\$1,031.30 CAD

Three Phase Autotransformer with a capacity of 3kVA, transforming 380Y Volts to 550Y Volts

SKU: RC3F-J2

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 3kVA, transforming 380Y Volts to 550Y Volts



## **OFFICIAL QUOTE**



## 3KVA 380 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER

#### PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS     |                                                                                      |
|----------------------------|--------------------------------------------------------------------------------------|
| Weight                     | 20 lbs                                                                               |
| Phases                     | <u>3</u>                                                                             |
| kVA                        | 3                                                                                    |
| Connection                 | 3PhA-NT-1                                                                            |
| Primary Voltage            | 380                                                                                  |
| Primary Max Current        | 4.6A                                                                                 |
| Primary Markings           | <u>X1-X2-X3</u>                                                                      |
| Primary Terminals          | Terminal Blocks                                                                      |
| Secondary Voltage          | <u>550</u>                                                                           |
| Secondary Max Current      | 3.1A                                                                                 |
| Secondary Markings         | <u>H1-H2-H3</u>                                                                      |
| Secondary Terminals        | Terminal Blocks                                                                      |
| Primary Taps               | N/A                                                                                  |
| Conductor Material         | Copper                                                                               |
| Insulation Class           | 180°C (Class F)                                                                      |
| BIL (Insulation) Level     | <u>10kV</u>                                                                          |
| Efficiency (@35% Load) %   | N/A                                                                                  |
| Impedance Range            | 1.0 - 3.0%                                                                           |
| Sound (db)                 | 40                                                                                   |
| Enclosure Type             | NEMA 1                                                                               |
| Enclosure Size             | <u>E1-1</u>                                                                          |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey                                             |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



## **OFFICIAL QUOTE**

# 3KVA 380 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|