


**OFFICIAL QUOTE** 

# 9KVA 575 VOLTS TO 440 VOLTS THREE PHASE AUTOTRANSFORMER





# 9KVA 575 VOLTS TO 440 VOLTS THREE PHASE AUTOTRANSFORMER

# \$1,385.30 CAD

Three Phase Autotransformer with a capacity of 9kVA, transforming 575Y Volts to 440Y Volts

SKU: RC9J1-H2 Categories: <u>Autotransformer</u>

# SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 9kVA, transforming 575Y Volts to 440Y Volts



**OFFICIAL QUOTE** 

### 9KVA 575 VOLTS TO 440 VOLTS THREE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

Weight	20 lbs
Phases	3
kVA	<u>9</u>
Connection	<u>3PhA-NT-1</u>
Primary Voltage	<u>575</u>
Primary Max Current	<u>9A</u>
Primary Markings	<u>H1-H2-H3</u>
Primary Terminals	Terminal Blocks
Secondary Voltage	<u>440</u>
Secondary Max Current	<u>11.8A</u>
Secondary Markings	<u>X1-X2-X3</u>
Secondary Terminals	Terminal Blocks
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	<u>180°C (Class F)</u>
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	<u>N/A</u>
Impedance Range	<u>1.0 – 3.0%</u>
Sound (db)	<u>40</u>
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-1</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



**OFFICIAL QUOTE** 

#### 9KVA 575 VOLTS TO 440 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM