



## 60HP 240 VOLTS THREE PHASE MOTOR STARTER


**\$1,380.00 CAD**

Three Phase Motor Starter with a capacity of 60HP, suitable for 240 Volt Systems

SKU: RS60C

Categories: [Motor Starting Autotransformers](#)

### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



Three Phase Motor Starter with a capacity of 60HP, suitable for 240 Volt Systems



**PRODUCT SPECIFICATIONS**

<b>Weight</b>	110 lbs
<b>Phases</b>	<a href="#">3</a>
<b>Connection</b>	<a href="#">3PhA-ST-0-3</a>
<b>Primary Voltage</b>	<a href="#">240</a>
<b>Primary Max Current</b>	<a href="#">N/A</a>
<b>Primary Markings</b>	<a href="#">H1-H2-H3</a>
<b>Primary Terminals</b>	<a href="#">Pads</a>
<b>Secondary Voltage</b>	<a href="#">50/65/80/100%</a>
<b>Secondary Max Current</b>	<a href="#">N/A</a>
<b>Secondary Markings</b>	<a href="#">A-B-C-D</a>
<b>Secondary Terminals</b>	<a href="#">Pads</a>
<b>Primary Taps</b>	<a href="#">N/A</a>
<b>Conductor Material</b>	<a href="#">Copper</a>
<b>Temperatue Rise</b>	<a href="#">150°C</a>
<b>Insuation Class</b>	<a href="#">220°C (Class H)</a>
<b>BIL (Insulation) Level</b>	<a href="#">10kV</a>
<b>Efficiency (@35% Load) %</b>	<a href="#">N/A</a>
<b>Impedance Range</b>	<a href="#">N/A</a>
<b>Sound (db)</b>	<a href="#">N/A</a>
<b>Enclosure Type</b>	<a href="#">Core &amp; Coil</a>
<b>Enclosure Size</b>	<a href="#">N/A (Core &amp; Coil)</a>
<b>Finish/Colour</b>	<a href="#">N/A</a>
<b>Standards &amp; Certifications</b>	<a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a>

OFFICIAL QUOTE  
60HP 240 VOLTS THREE PHASE  
MOTOR STARTER



HP	<a href="#">60</a>
Country/Manufacturer	<a href="#">Canada/RPM</a>